AUTHOR INDEX VOLUME 108

A

Adachi-Akahane, S., Cleemann, L., and Morad, M. Cross-signaling between L-type Ca^{2+} channels and ryanodine receptors in rat ventricular myocytes. 435.

Adragna, N.C. *See* Lauf and Adragna.

Århem, P. *See* Elinder, Madeja, and Århem.

Arreola, J., Melvin, J.E., and Begenisich, T. Activation of calcium-dependent chloride channels in rat parotid acinar cells. 35.

Awayda, M.S., Ismailov, I.I., Berdiev, B.K., Fuller, C.M., and Benos, D.J. Protein kinase regulation of a cloned epithelial Na^+ channel. 49.

B

Balazy, M. *See* Lu, Zhu, Balazy, Reddy, Falck, and Wang.

Baldelli, P. *See* Noceti, Baldelli, Wei, Qin, Toro, Birnbaumer, and Stefani.

Barry, D.M. *See* Xu, Dixon, Barry, Trimmer, Merlie, McKinnon, and Nerbonne.

Baylor, S.M. *See* Hollingworth, Zhao, and Baylor.

Begenisich, T. *See* Arreola, Melvin, and Begenisich.

Benos, D.J. *See* Awayda, Ismailov, Berdiev, Fuller, and Benos.

Benzer, S. *See* Hryshko, Matsuoka, Nicoll, Weiss, Schwarz, Benzer, and Philipson.

Berdiev, B.K. *See* Awayda, Ismailov, Berdiev, Fuller, and Benos.

Bezprozvanny, I. *See* Chen, Bezprozvanny, and Tsien.

Birnbaumer, L. *See* Noceti, Baldelli, Wei, Qin, Toro, Birnbaumer, and Stefani.

Bonev, A.D., and Nelson, M.T. Vasoconstrictors inhibit ATP-sensitive K^+ channels in arterial smooth muscle through protein kinase C. 315.

Brahm, J. *See* Gasbjerg, Knauf, and Brahm.

—. *See* Knauf, Gasbjerg, and Brahm.

C

Campbell, D.L., Stamler, J.S., and Strauss, H.C. Redox modulation of L-type calcium channels in ferret ventricular myocytes: dual mechanism regulation by nitric oxide and S-nitrosothiols. 277.

Carter, E.P., Matthay, M.A., Farinas, J., and Verkman, A.S. Transalveolar osmotic and diffusional water permeability in intact mouse lung measured by a novel surface fluorescence method. 133.

Catterall, W.A. *See* Qu, Rogers, Tanada, Catterall, and Scheuer.

Chan, K.W. *See* Sui, Chan, and Logothetis.

Chen, L.-Q., Santarelli, V., Horn, R., and Kallen, R.G. A unique role for the S4 segment of domain 4 in the inactivation of sodium channels. 549.

Chen, R. *See* Ma, González, and Chen.

Chen, T.-Y., and Miller, C. Nonequilibrium gating and voltage dependence of the ClC-0 Cl^- channel. 237.

Chen, X.-H., Bezprozvanny, I., and Tsien, R.W. Molecular basis of proton block of L-type Ca^{2+} channels. 363.

Cleemann, L. *See* Adachi-Akahane, Cleemann, and Morad.

Cornwall, M.C. *See* Jones, Cornwall, and Fain.

—. *See* Matthews, Cornwall, and Fain.

—. *See* Poitry, Tsacopoulos, Fein, and Cornwall.

D

Daut, J. *See* Loiselle, Stienen, van Hardeveld, van der Meulen, Zahalak, Daut, and Elzinga.

Dixon, J.E. *See* Xu, Dixon, Barry, Trimmer, Merlie, McKinnon, and Nerbonne.

Dodd, R.L. *See* Makino and Dodd.

E

Ehrlich, B.E. *See* Striggow and Ehrlich.

Elinder, F., Madeja, M., and Århem, P. Surface charges of K channels: effects of strontium on five cloned channels expressed in *Xenopus* oocytes. 325.

Elzinga, G. *See* Loiselle, Stienen, van Hardeveld, van der Meulen, Zahalak, Daut, and Elzinga.

Enyeart, J.A. *See* Enyeart, Mlinar, and Enyeart.

Enyeart, J.J., Mlinar, B., and Enyeart, J.A. Adrenocorticotropic hormone and cAMP inhibit noninactivating K^+ current in adrenocortical cells by an A-kinase–independent mechanism requiring ATP hydrolysis. 251.

F

Fain, G.L. *See* Jones, Cornwall, and Fain.

—. *See* Matthews, Cornwall, and Fain.

Falck, J.R. *See* Lu, Zhu, Balazy, Reddy, Falck, and Wang.

Farinas, J. *See* Carter, Matthay, Farinas, and Verkman.

Fass, D.M., and Levitan, E.S. Bay K 8644 reveals two components of L-type Ca^{2+} channel current in clonal rat pituitary cells. 1.

—, **and Levitan, E.S.** L-type Ca^{2+} channels access multiple open states to produce two components of Bay K 8644–dependent current in GH_3 cells. 13.

Fein, A. *See* Poitry, Tsacopoulos, Fein, and Cornwall.

Fuller, C.M. *See* Awayda, Ismailov, Berdiev, Fuller, and Benos.

G

Gasbjerg, P.K., Knauf, P.A., and Brahm, J. Kinetics of bicarbonate transport in human red blood cell membranes at body temperature. 565.

—. *See* Knauf, Gasbjerg, and Brahm.

Gavazzo, P. *See* Picco, Sanfilippo, Gavazzo, and Menini.

Gilly, W.F. *See* Rosenthal, Vickery, and Gilly.

González, A. *See* Ma, González, and Chen.

H

Hartzell, H.C. Activation of different Cl currents in *Xenopus* oocytes by Ca liberated from stores and by capacitative Ca influx. 157.

Hayashi, Y. *See* Tsunenari, Hayashi, Orita, Kurahashi, Kaneko, and Mori.

Hoffman, M.M., Wei, L.-Y., and Roepe, P.D. Are altered pH_i and membrane potential in hu MDR 1 transfectants sufficient to cause MDR protein-mediated multidrug resistance? 295.
Hollingworth, S., Zhao, M., and Baylor, S.M. The amplitude and time course of the myoplasmic free $[Ca^{2+}]$ transient in fast-twitch fibers of mouse muscle. 455.
Holmgren, M., Jurman, M.E., and Yellen, G. N-type inactivation and the S4-S5 region of the Shaker K^+ channel. 195.
Horn, R. *Commentary*: Counting charges. 129.
—. *See* Chen, Santarelli, Horn, and Kallen.
—. *See* Tang, Kallen, and Horn.
Hosoya, Y., Yamada, M., Ito, H., and Kurachi, Y. A functional model for G protein activation of the muscarinic K^+ channel in guinea pig atrial myocytes: spectral analysis of the effect of GTP on single-channel kinetics. 485.
Hryshko, L.V., Matsuoka, S., Nicoll, D.A., Weiss, J.N., Schwarz, E.M., Benzer, S., and Philipson, K.D. Anomalous regulation of the *Drosophila* Na^+–Ca^{2+} exchanger by Ca^{2+}. 67.

I

Ismailov, I.I. *See* Awayda, Ismailov, Berdiev, Fuller, and Benos.
Ito, H. *See* Hosoya, Yamada, Ito, and Kurachi.

J

Jones, G.J., Cornwall, M.C., and Fain, G.L. Equivalence of background and bleaching desensitization in isolated rod photoreceptors in the larval tiger salamander. 333.
Jurman, M.E. *See* Holmgren, Jurman, and Yellen.

K

Kallen, R.G. *See* Chen, Santarelli, Horn, and Kallen.
—. *See* Tang, Kallen, and Horn.
Kaneko, A. *See* Kawai, Kurahashi, and Kaneko.
—. *See* Tsunenari, Hayashi, Orita, Kurahashi, Kaneko, and Mori.
Kawai, F., Kurahashi, T., and Kaneko, A. T-type Ca^{2+} channel lowers the threshold of spike generation in the newt olfactory receptor cell. 525.
Knauf, P.A., Gasbjerg, P.K., and Brahm, J. The asymmetry of chloride transport at 38°C in human red blood cell membranes. 577.
—. *See* Gasbjerg, Knauf, and Brahm.
Korbmacher, C. *See* Meyer and Korbmacher.
Kurachi, Y. *See* Hosoya, Yamada, Ito, and Kurachi.
Kurahashi, T. *See* Kawai, Kurahashi, and Kaneko.
—. *See* Tsunenari, Hayashi, Orita, Kurahashi, Kaneko, and Mori.

L

Larsen, E.H. *See* Sørensen and Larsen.
Lauf, P.K., and Adragna, N.C. A thermodynamic study of electroneutral K-Cl cotransport in pH- and volume-clamped low K sheep erythrocytes with normal and low internal magnesium. 341.
Lee, S.C. *See* Pappone and Lee.
Levitan, E.S. *See* Fass and Levitan.
Logothetis, D.E. *See* Sui, Chan, and Logothetis.
Loiselle, D.S., Stienen, G.J.M., van Hardeveld, C., van der Meulen, E.T., Zahalak, G.I., Daut, J., and Elzinga, G. The effect of hyperosmolality on the rate of heat production of quiescent trabeculae isolated from the rat heart. 497.
Lopatin, A.N., and Nichols, C.G. $[K^+]$ Dependence of polyamine-induced rectification in inward rectifier potassium channels (IRK1, Kir2.1). 105.
Lu, M., Zhu, Y., Balazy, M., Reddy, K.M., Falck, J.R., and Wang, W. Effect of angiotensin II on the apical K^+ channel in the thick ascending limb of the rat kidney. 537.

M

Ma, J., González, A., and Chen, R. Fast activation of dihydropyridine-sensitive calcium channels of skeletal muscle: multiple pathways of channel gating. 221.
Madeja, M. *See* Elinder, Madeja, and Århem.
Makino, C.L., and Dodd, R.L. Multiple visual pigments in a photoreceptor of the salamander retina. 27.
Marshall, J. *See* Moss, Marshall, and Moczydlowski.
Matsuoka, S. *See* Hryshko, Matsuoka, Nicoll, Weiss, Schwarz, Benzer, and Philipson.
Matthay, M.A. *See* Carter, Matthay, Farinas, and Verkman.
Matthews, H.R., Cornwall, M.C., and Fain, G.L. Persistent activation of transducin by bleached rhodopsin in salamander rods. 557.
McKinnon, D. *See* Xu, Dixon, Barry, Trimmer, Merlie, McKinnon, and Nerbonne.
Melvin, J.E. *See* Arreola, Melvin, and Begenisich.
Menini, A. *See* Picco, Sanfilippo, Gavazzo, and Menini.
Merlie, J.P. *See* Xu, Dixon, Barry, Trimmer, Merlie, McKinnon, and Nerbonne.
Meyer, K., and Korbmacher, C. Cell swelling activates ATP-dependent voltage-gated chloride channels in M-1 mouse cortical collecting duct cells. 177.
Miller, C. *See* Chen and Miller.
Mlinar, B. *See* Enyeart, Mlinar, and Enyeart.
Moczydlowski, E. *See* Moss, Marshall, and Moczydlowski.
Morad, M. *See* Adachi-Akahane, Cleemann, and Morad.
Mori, T. *See* Tsunenari, Hayashi, Orita, Kurahashi, Kaneko, and Mori.
Moss, G.W.J., Marshall, J., and Moczydlowski, E. Hypothesis for a serine proteinase-like domain at the COOH terminus of *slowpoke* calcium-activated potassium channels. 473.

N

Nelson, M.T. *See* Bonev and Nelson.
Nerbonne, J.M. *See* Xu, Dixon, Barry, Trimmer, Merlie, McKinnon, and Nerbonne.
Nichols, C.G. *See* Lopatin and Nichols.
Nicoll, D.A. *See* Hryshko, Matsuoka, Nicoll, Weiss, Schwarz, Benzer, and Philipson.
Noceti, F., Baldelli, P., Wei, X., Qin, N., Toro, L., Birnbaumer, L., and Stefani, E. Effective gating charges per channel in voltage-dependent K^+ and Ca^{2+} channels. 143.

O

Orita, M. *See* Tsunenari, Hayashi, Orita, Kurahashi, Kaneko, and Mori.

P

Pappone, P.A., and Lee, S.C. Purinergic receptor stimulation increases membrane trafficking in brown adipocytes. 393.

Philipson, K.D. *See* Hryshko, Matsuoka, Nicoll, Weiss, Schwarz, Benzer, and Philipson.

Picco, C., Sanfilippo, C., Gavazzo, P., and Menini, A. Modulation by internal protons of native cyclic nucleotide-gated channels from retinal rods. 265.

Poitry, S., Tsacopoulos, M., Fein, A., and Cornwall, M.C. Kinetics of oxygen consumption and light-induced changes of nucleotides in solitary rod photoreceptors. 75.

Pusch, M. *Commentary*: Knocking on channel's door: the permeating chloride ion acts as the gating charge in ClC-0. 233.

Q

Qin, N. *See* Noceti, Baldelli, Wei, Qin, Toro, Birnbaumer, and Stefani.

Qu, Y., Rogers, J.C., Tanada, T.N., Catterall, W.A., and Scheuer, T. Phosphorylation of S1505 in the cardiac Na^+ channel inactivation gate is required for modulation by protein kinase C. 375.

Quarmby, L.M. Ca^{2+} influx activated by low pH in *Chlamydomonas*. 351.

R

Reddy, K.M. *See* Lu, Zhu, Balazy, Reddy, Falck, and Wang.

Reuss, L. *Commentary*: A new method to measure alveolar-epithelium permeability in intact lung. 125.

Roepe, P.D. *See* Hoffman, Wei, and Roepe.

Rogers, J.C. *See* Qu, Rogers, Tanada, Catterall, and Scheuer.

Rosenthal, J.J.C., Vickery, R.G., and Gilly, W.F. Molecular identification of SqKv1A: a candidate for the delayed rectifier K channel in squid giant axon. 207.

S

Sanfilippo, C. *See* Picco, Sanfilippo, Gavazzo, and Menini.

Santarelli, V. *See* Chen, Santarelli, Horn, and Kallen.

Scheuer, T. *See* Qu, Rogers, Tanada, Catterall, and Scheuer.

Schwarz, E.M. *See* Hryshko, Matsuoka, Nicoll, Weiss, Schwarz, Benzer, and Philipson.

Sørensen, J.B., and Larsen, E.H. Heterogeneity of chloride channels in the apical membrane of isolated mitochondria-rich cells from toad skin. 421.

Stamler, J.S. *See* Campbell, Stamler, and Strauss.

Stefani, E. *See* Noceti, Baldelli, Wei, Qin, Toro, Birnbaumer, and Stefani.

Stienen, G.J.M. *See* Loiselle, Stienen, van Hardeveld, van der Meulen, Zahalak, Daut, and Elzinga.

Strauss, H.C. *See* Campbell, Stamler, and Strauss.

Striggow, F., and Ehrlich, B.E. The inositol 1,4,5-trisphosphate receptor of cerebellum: Mn^{2+} permeability and regulation by cytosolic Mn^{2+}. 115.

Sui, J.L., Chan, K.W., and Logothetis, D.E. Na^+ activation of the muscarinic K^+ channel by a G-protein–independent mechanism. 381.

T

Tanada, T.N. *See* Qu, Rogers, Tanada, Catterall, and Scheuer.

Tang, L., Kallen, R.G., and Horn, R. Role of an S4-S5 linker in sodium channel inactivation probed by mutagenesis and a peptide blocker. 89.

Toro, L. *See* Noceti, Baldelli, Wei, Qin, Toro, Birnbaumer, and Stefani.

Trimmer, J.S. *See* Xu, Dixon, Barry, Trimmer, Merlie, McKinnon, and Nerbonne.

Tsacopoulos, M. *See* Poitry, Tsacopoulos, Fein, and Cornwall.

Tsien, R.W. *See* Chen, Bezprozvanny, and Tsien.

Tsunenari, T., Hayashi, Y., Orita, M., Kurahashi, T., Kaneko, A., and Mori, T. A quinine-activated cationic conductance in vertebrate taste receptor cells. 515.

V

van der Meulen, E.T. *See* Loiselle, Stienen, van Hardeveld, van der Meulen, Zahalak, Daut, and Elzinga.

van Hardeveld, C. *See* Loiselle, Stienen, van Hardeveld, van der Meulen, Zahalak, Daut, and Elzinga.

Verkman, A.S. *See* Carter, Matthay, Farinas, and Verkman.

Vickery, R.G. *See* Rosenthal, Vickery, and Gilly.

W

Wang, W. *See* Lu, Zhu, Balazy, Reddy, Falck, and Wang.

Wei, L.-Y. *See* Hoffman, Wei, and Roepe.

Wei, X. *See* Noceti, Baldelli, Wei, Qin, Toro, Birnbaumer, and Stefani.

Weiss, J.N. *See* Hryshko, Matsuoka, Nicoll, Weiss, Schwarz, Benzer, and Philipson.

X

Xu, H., Dixon, J.E., Barry, D.M., Trimmer, J.S., Merlie, J.P., McKinnon, D., and Nerbonne, J.M. Developmental analysis reveals mismatches in the expression of K^+ channel α subunits and voltage-gated K^+ channel currents in rat ventricular myocytes. 405.

Y

Yamada, M. *See* Hosoya, Yamada, Ito, and Kurachi.

Yellen, G. *See* Holmgren, Jurman, and Yellen.

Z

Zahalak, G.I. *See* Loiselle, Stienen, van Hardeveld, van der Meulen, Zahalak, Daut, and Elzinga.

Zhao, M. *See* Hollingworth, Zhao, and Baylor.

Zhu, Y. *See* Lu, Zhu, Balazy, Reddy, Falck, and Wang.